

Dosing On Call



Dosing for infants and children from your healthcare professional

DOSE: Every 4 hours as needed. DO NOT GIVE MORE THAN 5 DOSES IN 24 HOURS.
If possible, use weight to dose; otherwise, use age.

mL = milliliter





Infants' TYLENOL® Oral Suspension

Active ingredient: Acetaminophen 160 mg (in each 5 mL)

Available in:
 Grape  Cherry








Use product only as directed.

WEIGHT	6-11 lbs	12-17 lbs	18-23 lbs	24-35 lbs
AGE	0-3 months	4-11 months	12-23 months	2-3 years
DOSE	1.25 mL 	2.5 mL 	3.75 mL 	5 mL 

mL = milliliter






Children's TYLENOL® Oral Suspension

Active ingredient: Acetaminophen 160 mg (in each 5 mL)

Available in:
 Grape  Bubblegum  Cherry
 Dye-Free Cherry  Strawberry





Use product only as directed.

WEIGHT	24-35 lbs	36-47 lbs	48-59 lbs	60-71 lbs	72-95 lbs
AGE	2-3 years	4-5 years	6-8 years	9-10 years	11 years
DOSE	5 mL 	7.5 mL 	10 mL 	12.5 mL 	15 mL 

NOW AVAILABLE!






Children's TYLENOL® Chewables

Active ingredient: Acetaminophen 160 mg (in each tablet)

Available in:
 Grape  Bubblegum



Use product only as directed.

WEIGHT	24-35 lbs	36-47 lbs	48-59 lbs	60-71 lbs	72-95 lbs
AGE	2-3 years	4-5 years	6-8 years	9-10 years	11 years
DOSE	1 tablet 	1½ tablets 	2 tablets 	2½ tablets 	3 tablets 

All infants' TYLENOL® and Children's TYLENOL® products have the same strength of acetaminophen: **160 mg** (in each 5 mL or tablet).

IMPORTANT INSTRUCTIONS FOR PROPER USE

Today's date: _____

This dosing recommendation from your healthcare professional will expire in **14 DAYS**.

- Always read and follow the label on all TYLENOL® products.
- Repeat dose **every 4 hours** while symptoms last.
- Do **NOT** give more than **5 doses in 24 hours**.
- Do **NOT** use with any other product containing acetaminophen.
- Use only the dosing device (syringe or dosing cup) that came with the product. Do not use any other dosing device.

DOSE: Every 6-8 hours as needed. DO NOT GIVE MORE THAN 4 DOSES IN 24 HOURS.
If possible, use weight to dose; otherwise, use age.

mL = milliliter



Infants' MOTRIN® Concentrated Drops

Active ingredient: Ibuprofen (NSAID)* 50 mg (in each 1.25 mL)

Available in:
 Berry  Dye-Free Berry







Use product only as directed.

WEIGHT	12-17 lbs	18-23 lbs
AGE	6-11 months	12-23 months
DOSE	1.25 mL 	1.875 mL 

mL = milliliter






Children's MOTRIN® Oral Suspension

Active ingredient: Ibuprofen (NSAID)* 100 mg (in each 5 mL)

Available in:
 Grape  Bubblegum
 Berry  Dye-Free Berry



Use product only as directed.

WEIGHT	24-35 lbs	36-47 lbs	48-59 lbs	60-71 lbs	72-95 lbs
AGE	2-3 years	4-5 years	6-8 years	9-10 years	11 years
DOSE	5 mL 	7.5 mL 	10 mL 	12.5 mL 	15 mL 

IMPORTANT INSTRUCTIONS FOR PROPER USE

Today's date: _____

This dosing recommendation from your healthcare professional will expire in **14 DAYS**.

- Always read and follow the label on all MOTRIN® products.
- Repeat dose **every 6-8 hours** as needed.
- Do **NOT** give more than **4 doses in 24 hours**
- Use only the dosing device (syringe or dosing cup) that came with the product. Do not use any other dosing device.

Be sure to keep TYLENOL® and MOTRIN® on hand for pain and fever relief that's

Always On Call